
			_	UTAH	OIL AN	D GAS CON	SERVATION CO	MMISSION				· · · · · · · · · · · · · · · · · · ·
,	WELL LOG	ELEC	TRIC LOGS	FILE	Y	VATER SANDS_	LOCATIO	N INSPECTED		SUB. F	REPORT/abd	
	·····		_									
										·		
												· · · · · · · · · · · · · · · · · · ·
DATE FILED		10-15-	91					*****				
LAND: FEE & P	ATENTED	STATE L	EASE NO.			P	UBLIC LEASE NO. 1	J 0137 6	<u> </u>		INDIAN	
DRILLING APPR	ROVED:	10-21-	91									
SPUDDED IN:												
COMPLETED:	5-14	1-00 r	PUT TO PRO	DUCING:						•		
INITIAL PRODU	JCTION:				-				Cor	tichnit	a	
GRAVITY A.P.I.									<u>. </u>	1		-
GOR:												
PRODUCING Z	ONES:			***************************************						· · · · · · · · · · · · · · · · · · ·		
TOTAL DEPTH	:					<u> </u>				· · · · · · · · · · · · · · · · · · ·		
WELL ELEVATION	ON:									~~~	Mark Market	
DATE ABANDO	NED:	YD Ve	C BUM	ELT.	5.14	492				***		
FIELD:		NATURA	L BUTTES									
UNIT:		RIVER	BEND									
COUNTY:		UINTAH										
WELL NO.		RBU 7-	23E			_			API NO.	43-047-	32125	•
LOCATION	1943'	FNL F	r. from (n) (s) lin	E. 18	308 T	ÆL	FT. FROM (E) (W)	LINE SW	NE		1/4 — 1/4 SEC.	23
						-						
TWP.	RGE.	SEC.	OPERATOR				TWP.	RGE.	SEC.	OPERATOR	_	
10s	19E	23	CNG PRO	DUCING	COMPA	ANY						<u> </u>

			(Other ma	ries cominan	\	Form approved:		
(formerly 9-331	November 1983) formerly 9-331(UNITED STATES		(Other instruction on reverse side)			Budget Bureau No. 1004-0136		
DEPARTMENT OF THE INTER		OR PEVERS	e side)	1	Expires August 31, 1985			
BUREAU OF LAND MANAGEM			ENT			5. LEASE DESIGNATION AND SERIAL NO. U-01376		
APPLICA	TION FOR PER	MIT TO DRILL, I	DEEPEN, OR PLU	JG BACK		6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
IG. TIPE OF W	DRILL [X]	DEEPEN []	DI II O DA OVIII					
b. TYPE OF WE		occuers [1	PLUG BACK []			7. UNIT AGREEMENT NAME		
	GAS WELL [X]	OTHER	SINGLE ZONE []	MIII TIBLE	7045	River Bend Unit		
2. NAME OF OF			SHACE ZONE	MULTIPLE	ZONE	8. FARM OR LEASE NAME		
CNG PRO	DUCING COM	PANY				RBU		
3. ADDRESS OF						9. WELL NO.		
		as Street New O	rleans, LA 70112	2 6000		7-23E		
4. LOCATION O	F WELL (Report to	cotion clearly and in	accordance with any	2-6000		10. FIELD AND POOL, OR WILDCAT		
At surface	1.943' FNL &	1 808' FFL of Se	c. 23-T10S-R19	arate requi		Island Natural Britter		
	-,= -=	.,000				III. SESC., I., R., M., OR BLK.		
At proposed p	orod. zone		~ 5 W	1.JF	Ì	AND SURVEY OR AREA		
14. DISTANCE I	N MILES AND DIRE	CTION FROM NEAR	EST TOWN OR POS	TOFFICE		23-T10S-R19E		
10 miles :	5VV of Ouray					12. COUNTY OR PARIS 13. STATE		
	ROM PROPOSED	ł	16. NO. OF ACRES	SINIFARE	17 NO	ANDRES ASSIGNED Utah		
LOCATION TO					TOTAL	MEN STATES IN		
	R LEASE LINE, FT			ļ	- C			
	st drig. unit line if		1,280			80		
TO NEADERT	ROM PROPOSED	LOCATION*	19. PROPOSED DI	EPTH	20. ROTA	RY OR CABLE TOOLS		
OR APPLIED	WELL, DRILLING, FOR, ON THIS LEA		L: 1	1				
21. ELEVATIONS	5 (Show whether D	1,800°	7,500'	STC		Rotary		
	5,330' GR	r, KI, GR, etc.)				22. APPROX. DATE WORK WILL START		
					1	February 1, 1992		
23.		PROPOSED CAS	MAIC AND OFFICE					
23. SIZE OF HOLE		PROPOSED CAS	SING AND CEMEN	NTING P				
		WEIGHT PER FOOT	SETTING DEPTH		(QUANTITY OF CEMENT		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH +/- 400		Cement 1	UANTITY OF CEMENT		
SIZE OF HOLE 12 1/4"	SIZE OF CASING 8 5/8"	WEIGHT PER FOOT	SETTING DEPTH		Cement 1	QUANTITY OF CEMENT		
SIZE OF HOLE 12 1/4" 7 7/4	SIZE OF CASING 8 5/8" 5 1/2"	24# 17#	+/- 400 +/-7,500		Cement (Cement (UANTITY OF CEMENT to surface calc to surface		
12 1/4" 7 7/4 1. Drill a 12	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a	24# 17# an air rig to 400'	+/- 400 +/-7,500	40 cosine	Cement o	UANTITY OF CEMENT to surface calc to surface		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily	24# 17# an air rig to 400', P stack prior to and blind rams a	+/- 400 +/-7,500 run a 8 5/8", H-4 drilling out below	40 casin surface	Cement of Cement	QUANTITY OF CEMENT to surface calc to surface ment to surface.		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily	24# 17# an air rig to 400', P stack prior to and blind rams a	+/- 400 +/-7,500 run a 8 5/8", H-4 drilling out below	40 casin surface	Cement of Cement	QUANTITY OF CEMENT to surface calc to surface ment to surface.		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily 1/8" hole to 7,500 evaluate unex	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat	run a 8 5/8", H-4 drilling out below s possible. ter mud system.	40 casing surface No cores	Cement of Cement	DUANTITY OF CEMENT TO SURface The surface The surface. The surface of the surfac		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily 1/8" hole to 7,500 evaluate unex	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat	run a 8 5/8", H-4 drilling out below s possible. ter mud system.	40 casing surface No cores	Cement of Cement	DUANTITY OF CEMENT TO SURface The surface The surface. The surface of the surfac		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs,	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily: /8" hole to 7,50 prevaluate unex set 5 1/2", 17#	24# 17# an air rig to 400', P stack prior to and blind rams a 0' with a salt wat pected shows.	run a 8 5/8", H-4 drilling out below s possible. ter mud system.	40 casing surface No cores	Gement of Gement of g and cer pipe.	CUANTITY OF CEMENT to surface calc to surface ment to surface. The company of th		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 cand to provide adde	run a 8 5/8", H-4 drilling out below s possible. ter mud system.	40 casing surface p No cores by drilling	Gement of Gement of g and cer pipe. s are plar g shows,	DUANTITY OF CEMENT to surface calc to surface ment to surface. nned. DST's will be run as test, and logs. Casing program.		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary z	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC prize rams daily and a light with a set 5 1/2", 17# may be modified ones of interest	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 ca d to provide adde	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated burst strength. Chapita Wells 8	40 casing surface No cores by drilling if needed	Gement of Gement of g and cer pipe. s are plar g shows, d for frac	DUANTITY OF CEMENT to surface calc to surface ment to surface. nned. DST's will be run as test, and logs. Casing program.		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating poter	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 ca d to provide adde	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated burst strength. Chapita Wells 8	40 casing surface No cores by drilling if needed	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface talc to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating poter panner.	24# 17# 17# an air rig to 400', DP stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch stall for economic	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable	40 casing surface property of the cores of t	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface talc to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potentamer.	24# 17# 17# an air rig to 400', OP stack prior to cand blind rams a 00' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch stall for economic lost, air or air as	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated burst strength. Chapita Wells 8	40 casing surface property of the cores of t	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface talc to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential indication is TOPS	24# 17# 17# an air rig to 400', OP stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch intial for economic lost, air or air as DEPTHS	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable	40 casing surface property of the cores of t	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface talc to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC prize rams daily with a pressure test BC prize rams daily with a pressure test 5 1/2", 17# may be modified ones of interest indicating potential prize ranner.	24# 17# 17# an air rig to 400', P stack prior to and blind rams a 0' with a salt wat pected shows. N 80 & K-55 ca to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050'	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable	40 casing surface property of the cores of t	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface talc to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily: /8" hole to 7,50 prevaluate unex set 5 1/2", 17# may be modified in the control of interest indicating potential cating potential cating in the circulation is TOPS	24# 17# 17# an air rig to 400', P stack prior to and blind rams a 0' with a salt wat pected shows. N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300'	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable	40 casing surface property of the cores of t	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac I Buttes. s will be to	DUANTITY OF CEMENT to surface calc to surface ment to surface. nned. DST's will be run as test, and logs. Casing program.		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential cating potential cating potential cating in the circulation is TOPS	24# 17# 17# an air rig to 400', DP stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch stall for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400'	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable	40 casing surface p No cores by drilling if needed Uteland reserves e utilized	Gement of Gement of Gement of g and cer pipe. s are plar g shows, d for frac l Buttes. s will be to	DUANTITY OF CEMENT To surface The surface		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential potential cation is TOPS	24# 17# 17# In air rig to 400', P stack prior to 6 and blind rams a 0' with a salt wat pected shows. I, N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' pectfully request	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated burst strength c, Chapita Wells 8 cally recoverable sisted mud will be	40 casing surface p No cores by drilling if needed Uteland reserves e utilized	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac l Buttes. S will be to	DUANTITY OF CEMENT To surface Talc to surface The surface. The surface of the su		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential indicating potential indication is TOPS BESCRIBE PROPERTY TEST	24# 17# 17# In air rig to 400', P stack prior to 6 and blind rams a 0' with a salt wat pected shows. I, N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' DECTIVITY request	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable sisted mud will be	40 casing surface p No cores by drilling if needed Uteland reserves e utilized	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac d Buttes. S will be to	DUANTITY OF CEMENT to surface calc to surface. ment to surface ment to surface. ment to surface ment to surfac		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential indicating potential indication is TOPS BESCRIBE PROPERTY TEST	24# 17# 17# In air rig to 400', P stack prior to 6 and blind rams a 0' with a salt wat pected shows. I, N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' DECTIVITY request	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable sisted mud will be	40 casing surface p No cores by drilling if needed Uteland reserves e utilized	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac d Buttes. S will be to	DUANTITY OF CEMENT to surface calc to surface. ment to surface ment to surface. ment to surface ment to surfac		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producing IN ABOVE SPACE new productive zo Give blowout prev	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential indicating potential indication is TOPS BESCRIBE PROPERTY TEST	24# 17# 17# In air rig to 400', P stack prior to 6 and blind rams a 0' with a salt wat pected shows. I, N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' DECTIVITY request	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated burst strength c, Chapita Wells 8 cally recoverable sisted mud will be	40 casing surface p No cores by drilling if needed Uteland reserves e utilized	Gement of Gement of Gement of g and cer pipe. S are plar g shows, d for frac d Buttes. S will be to	DUANTITY OF CEMENT to surface ment to surface. The surface of the		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24.	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential indicating potential indication is TOPS BESCRIBE PROPERTY TEST	24# 17# 17# In air rig to 400', P stack prior to 6 and blind rams a 0' with a salt wat pected shows. I, N 80 & K-55 ca d to provide adde are the Wasatch ntial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' DECTIVITY request	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ad burst strength to, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT to surface ment to surface. The contract of the contract o		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED A	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC pipe rams daily: /8" hole to 7,50 po evaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential	24# 17# 17# In air rig to 400', IP stack prior to cand blind rams a IP with a salt wat pected shows. IP N 80 & K-55 cand to provide added are the Wasatch intial for economic lost, air or air as IP N 80' September 19 Septembe	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ad burst strength to, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT to surface ment to surface. The contract of the contract o		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED A	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a pressure test BC properams daily with a pressure test BC properation of the pr	24# 17# In air rig to 400', op stack prior to cand blind rams a competed shows. In No & K-55 cand to provide added are the Wasatch trial for economical fo	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ad burst strength to, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT TO SURFACE THERE TO SURFACE THE TO SURFACE		
SIZE OF HOLE 12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION T Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED A This space for Fee	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential po	24# 17# an air rig to 400', P stack prior to cand blind rams a 0' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch initial for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' pectfully request of care ill or deepen directly. DISTANCE DEPTHS OSED PROGRAM: If o drill or deepen directly.	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ad burst strength to, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT TO SURFACE THERE TO SURFACE THE TO SURFACE		
12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7, needed to 5. Run logs, program r 6. Primary zo 7. All zones prudent m 8. In the eve FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED A	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential po	24# 17# an air rig to 400', P stack prior to cand blind rams a Po' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch it all for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' pectfully request or directly or deepen directly.	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ed burst strength n, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe actionally, give pertine	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT TO SURface The surface		
SIZE OF HOLE 12 1/4" 7 7/4 1. Drill a 12 2. NU and p 3. Operate p 4. Drill a 7 7 needed to 5. Run logs, program r 6. Primary z 7. All zones prudent m 8. In the eve FORMATION T Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED A This space for Fee	SIZE OF CASING 8 5/8" 5 1/2" 1/4" hole with a ressure test BC pipe rams daily: /8" hole to 7,50 pevaluate unex set 5 1/2", 17# may be modified ones of interest indicating potential po	24# 17# an air rig to 400', P stack prior to cand blind rams a Po' with a salt wat pected shows. N 80 & K-55 cand to provide added are the Wasatch it all for economic lost, air or air as DEPTHS 4,050' 5,300' 6,400' pectfully request or directly or deepen directly.	run a 8 5/8", H-4 drilling out below s possible. ter mud system. asing as dictated ad burst strength to, Chapita Wells 8 cally recoverable sisted mud will be that all informatic proposal is to deepe	40 casing surface possible description of the concession of the co	Gement of Gement	CUANTITY OF CEMENT TO SURface The surface		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or account of the United States

CNG PRODUCING CO WELL LOCATION PLAT RBU 7-23E

LOCATED IN THE SW OF THE NE OF SECTION 23, TIOS, RISE, S.L.B.&M.



LEGEND & NOTES

 Original monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. map.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

> Jerry D. Allred, Registered Land Surveyor, Cert. No. 3817 (Utah)



JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-6362 Form 3160-5

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

C	PM	AF	PF	30	VE	ED	•		
٠		_			_			_	_


BUDGET BUREAU NO. 1004-0135

EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REF	5. Lease Designation and Serial No. U-01376	
Do not use this form for proposals to drill or to	6 If Indian Alleman - Tit Al	
different reservoir. Use "APPLICATION FOR F	a. Il mouth, Allottee or I fibe Name	
	IIT IN TRIPLICATE	=
1. Type of Well		7 Kilinia oz Ca a
[]Oil Well [X] Gas Well [] Other		If Unit or GA, Agreement Designation River Bend Unit
2. Name of Operator		8. Well Name and No.
CNG PRODUCING COMPANY		7-23E
3. Address and Telephone No.		9. API Well No.
CNG Tower - 1450 Poydras Street, New O	deans I A 70119_6000	J. AFI VVEILING.
4. Location of Well (Footage, Sec., T., R., M.,	or Survey Description)	10 Field and Day
Surface - 1,943' FNL and 1,808' FEL of Se	c. 23-T10S-R19F	 Field and Pool, or Exploratory Area Island
, , , , , , , , , , , , , , , , , , , ,		
		11. County or Parish, State
CHECK APPROPRIATE BOX/S	TO INDICATE NATURE OF A	Uintah, Utah OTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TVE	E OF ACTION
[] Notice of Intent	[] Abandonment	
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	[] Recompletion	[] Change of Plans
[X] Subsequent Report	[] Plugging Back	[] New Construction
ful anadaru uchou		[] Non-Routine Fracturing
[] Final Abandonment Notice	[] Casing Repair	[] Water Shut-Off
(1. man vinationimicia idollice		[] Conversion to Injection
	[X] Other - Variance	[] Dispose Water
	in casing	(Note: Report results of multiple
		completion on Well Completion or
13. Describe Proposed or Completed Operation	ns (Claarly seed - II ii	Recompletion Report and Log form.)
including estimated date of starting any pro-	osod wed. Kwell is dies of	etails, and give pertinent dates,
including estimated date of starting any prop and measured and true vertical depths for a	il madana and n	ally drilled, give subsurface locations
Under Onshore Order #2, casing and cerr	enting requirements, it states	" All casing, except the conductor
casing, side be new or reconquioned and to	ested lised casing that mosts a	r orogada ADI assaultut e
Wic o old Ethill activities (42) life design	PO IOF INIS Well and other walls	im the Diseas Demot 11 to the control of the contro
above offered for the order. The o 5/6" Cas	ING IS a limited service nine wh	ich means it doos +
standards. However, the pipe is new and v	vas Hydro statically tested to 2	.700 PSI which equals API standards for
8 5/8″ 24# K-55 casing.	•	,
We respectfully submit this sundry and at	ached letter from the company	the pipe was purchased from
If any additional information is needed, plo	ease advise.	CONCIDENTIALS
	M M _ M	CONFIDENTIALBLIVE
4. I hereby certify that the forgoing is true and	correct	3.00
		OCT 1 5 1991
Signed Loss Courties	Supervisor, Drilling Eng. Date	October 14, 1991
Doss N. Bourgeois	DIVIDIOIA OF	
(This space for Federal or State office use)		OIL GAS & MINING
Amounted by		
Approved by Title	Date	
Conditions of approval, if any:		
itle 18 U.S.C. Section 1001, makes it a crime for		
NE TO V.J.V. JEGUUU TVVI. MAKAS II A ARMA N	ngany narcan beautiesh	1116 11

a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

October 18, 1991



DIVISION OF OIL GAS & MINING

Ms. Margie Herrmann Dept. of the Interior Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: River Bend Unit RBU 9-17E RBU 7-23E Corrected APDs

Dear Margie:

Per your request enclosed please find an original and two copies of the above referenced corrected Applications for Permit to Drill. Thank you for pointing out that the incorrect lease number had been submitted. I hope this hasn't cause you any inconvenience.

If you have any questions or need any further information, please feel free to contact me at (504) 593-7260. Thank you for your continued cooperation. It is always a pleasure working with you.

Sincerely,

Susan M. Hebert

Regulatory Reports Asst. II

Enclosure

cc: Utah Board of Oil Gas & Mining

FIRMFRIDE POUN	4		(Comparison of the Comparison	wwwiis		zugenwore, au 110, 10	104°0300	
Parmerly 9-331		ATES _	on reverse			pires August 31, 19	85	
DEPARTMENT OF THE TERIOR						LEASE DESIGNATION AND SERIAL NO.		
BUREAU OF LAND MANAGEMENT						U-013766		
						6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
Ta. TYPE OF WORK								
	DRILL [X]	DEEPEN []	PLUG BACK []		7.	UNIT AGREEMENT		
b. TYPE OF WE	LL					River Bend Un		
OIL WELL []	GAS WELL [X]	OTHER	SINGLE ZONE []	MULTIPLE	ZONE [] 8.	FARM OR LEASE N	AME	
2. NAME OF OP	ERATOR				<u> </u>	RBU		
CNG PRO	DUCING COMP	PANY			9.	WELL NO.		
3. ADDRESS OF	OPERATOR					7-23E		
CNG Tow	er, 1450 Poydra	s Street, New Orl	eans, LA 70112	-6000	10.	FIELD AND POOL	, OR WILDCAT	
4. LOCATION O	F WELL (Report loc	ation clearly and in ac	cordance with any	State requi	irements.*	Island		
At surface	1,943' FNL & 1	1,808' FEL of Sec.	. 23-T105-R19I	Ε	. 11.	SESC., T., R., M.,	OR BLK.	
						AND SURVEY OR A	REA	
At proposed p	orod. zone				j	23-T10S-R19	E	
14. DISTANCE	N MILES AND DIRE	CTION FROM NEARE	ST TOWN OR POST	OFFICE*	12.	COUNTY OR PAR	113. STATE	
10 miles	SW of Ouray				1	Uintah .	Utah	
15. DISTANCE	ROM PROPOSED		16. NO. OF ACRES	IN LEASE	17. NO. OF A	CRES ASSIGNED		
LOCATION T	O NEAREST				TOTHISM	VELL		
PROPERTY (OR LEASE LINE, FT.	_				,		
	est drlg. unit line if (2,240			80		
	FROM PROPOSED		19. PROPOSED D	EPTH	20. ROTARY	OR CABLE TOOLS		
	WELL, DRILLING,							
	FOR, ON THIS LEA		7,500'			Rotary		
21. ELEVATION	S (Show whether DI	F, RT, GR, etc.)				. APPROX. DATE W		
	5,330' GR					ebruary 1, 1992		
23.		PROPOSED CASI		NTING				
		WEIGHT PER FOOT				QUANTITY OF CEMENT		
12 1/4"	8 5/8"	24#	+/- 400		Cement to			
7 7/4	5 1/2"	17#	+/-7,500		Cement ca	lc to surface	·	
 NU and Operate Drill a 7 needed to Run logs program Primary All zones prudent In the ev 	pressure test BC pipe rams daily 7/8" hole to 7,50 to evaluate unes 5, set 5 1/2", 176 may be modifie zones of interes 5 indicating pote manner. rent circulation is	#, N 80 & K-55 ca ed to provide adde it are the Wasatch ential for economic s lost, air or air as	irilling out below s possible. er mud system. sing as dictated d burst strength s, Chapita Wells ally recoverable	No core No drillin if neede Utelan reserve	pipe. es are plann ng shows, te ed for frac p nd Buttes. es will be tes	ed. DST's will best, and logs. Corogram.	asing	
FORMATION	TOPS	DEPTHS				OCT	2 1 1991	
Wasatch		4,050'					- - • - •	
Chapita Well		5,300'				DIV	ISION OF	
Uteland Butt	es	6,400'				A	S& MINING	
CNG Produc	ing Company re	spectfully request	that all informat	tion cond	cerning this	well be held cor	fidential.	
IN ABOVE SPACE new productive Give blowout pro	CE DESCRIBE PROI	POSED PROGRAM: It to drill or deepen dire	f proposal is to deep	en or plug	g back, give da	ta on present produ	ctive zone and proposed sured and true vertical dept	
24. SIGNED	Doss R. Bourg	Educações eois	TITLE	Supervi	isor, Drilling	Eng.	DATE 10/18/91	
(This space for	Federal or State offi	ce use)	·					
PERMIT NO.			APPROVAL DATE					
APPROVED BY	ADDDOVED BY TITLE DATE							
	APPROVED BY TITLE DATE							
CONDITION	S OF APPROVAL, IF	F ANY:	- IIILE				_DATE	

SELF-CERTIFICATION STATEMENT

Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

*Please be advised that <u>CNG Producing Company</u> is considered to be the operator of Well No. 7-23E SW 1/4 of NE 1/4 Section 23, Township 10, Range 19; Lease U-013766; Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by <u>American Casualty Company of Reading</u>, PA, Bond #524 7050.

R. S. Gloger

Drilling Manager

DRILLING PLAN APPROVAL OF OPERATIONS

October 14, 1991

Attachment for Permit to Drill

Name of Operator: CMG PRODUCING COMPANY

Address:

CNG TOWER - 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

WELL LOCATION:

Well No. 7-23E

Uintah, Utah

1. GEOLOGIC SURFACE FORMATION

Uintah

2. ESTIMATE IMPORTANT GEOLOGIC MARKERS

CONFIDENTIAL

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	4050
Green River Tongue	4400'
Wasatch	4550'
Chapita Wells	53001
Uteland Buttes	6400'

ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS 3.

<u>Formation</u>	<u>Depth</u>	Remarks
Wasatch Tongue	4050′	Oil Zone
Chapita Wells	5300′	Gas Zone
Uteland Buttes	6400'	Gas Zone

4. PROPOSED CASING PROGRAM

8-5/8", 24#/ft, H-40, 0'-400' - Cemented to Surface 5%*, 17#/ft, N-80 & K-55, 0'- 7500' - Cemented to Surface

OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL 5.

See Attachment No. 2, Attached. BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 3,000 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

The well is to be drilled with a Potassium Chloride mud system 6. maintaining a weight of approximately 9#/gal.

CONFIDENTIAL

7. AUXILIARY EQUIPMENT TO BE USED

- 1. Kelly Cock.
- Full opening valve on floor with DP connection for use when Kelly is not in string.
- 3. Pit volume totalizer equipment will be used.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud logger will be used from 3,000' to TD. Possible DST in Wasatch Tongue. The logging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500' possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H_2S gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

- A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in Section 17-T10S-R20E. Application #54801 User's Claim Code #49, Serial #801.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.
- C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

Lead Slurry - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Tail Slurry - 335 sk RFC 10-0 (thixotopic).

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: February 1, 1992

Duration: 20 Days

Revi	sed	November	1990

Date	NOS	Received:

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:	ING PRODUCING COMPANY	ONITIDENTI
Well Name & Number: R	RBU 7-23E	CONFIDENTI
Lease Number:U	J-01376	-
Location: SW/4 of NE/4	Sec. 23 T. 105 R.	19E
Surface Ownership:	Bureau of Land Management	
NOTIFIC	CATION REQUIREMENTS	
Location Construction - forty-e location	ight (48) hours prior to (n and access roads.	construction of
Location Completion - prior to m	oving on the drilling rig.	
Spud Notice - at least to well.	twenty-four (24) hours prior	to spudding the
Casing String and - twenty-four cementing cementing	r (24) hours prior to running all casing strings.	casing and
BOP and Related - twenty-four Equipment Tests tests.	r (24) hours prior to init:	iating pressure
First Production - within five or production for more the	e (5) business days after new ion resumes after well has beer han ninety (90) days.	well begins n off production
For more specific details on n Conditions of Approval for Notice	otification requirements, pl to Drill and Surface Use Prog	ease check the

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

- Existing Roads describe the following and provide a legible map, labeled and showing:
 - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
 - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - c. Access road(s) to location color-coded or labeled. CONFIDENTIAL
 - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)
- Planned Access Roads--describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:
 - a. Length <u>3,000'</u>
 - b. Width 30 foot right-of-way with 18 foot running surface maximum.
 - c. Maximum grades <u>8%</u>
 - d. Turnouts ____
 - e. Drainage design <u>Bar Pits</u>
 - f. Location and size of culverts and/or bridges, and brief description of any major cuts and fills -
 - g. Surfacing material (source) <u>Native</u>
 - h. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - _____

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

	Right-of-Way Application needed.							
	Not needed							
	The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or							
з.	Location of Existing Wells - describe the following and							
	or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:							

- a. Water wells
- b. Abandoned wells
- c. Temporarily abandoned wells
- d. Disposal wells
- e. Drilling wells
- f. Producing wells
- g. Shut-in wells
- h. Injection wells

4. Location of Existing and/or Proposed Facilities

a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):

CONFIDENTIAL

- (1) Tank batteries
- (2) Production facilities
- (3) Oil gathering lines
- (4) Gas gathering lines
- (5) Injection lines
- (6) Disposal lines
- (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

- b. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)
 - (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
 - (2) Dimensions of facilities

CONFIDENTIAL

- (3) Construction methods and materials
- (4) Protective measures and devices to protect livestock and wildlife

Note: Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank	batteries	will	þe	placed	on	the	Southeast	corner

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match on of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The	required	paint	color	is	Desert Tan
-----	----------	-------	-------	----	------------

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC #1
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state.

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

CONFIDENTIAL

- a. Show information either on map or by written description -
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.
 - *If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.
 - *A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
 - (1) Cuttings bury in pit
 - (2) Sewage haul to sewer lagoon
 - (3) Garbage (trash) and other waste material haul to disposal
 - (4) Salts not used
 - (5) Chemicals non-toxic only; evaporate in pits

*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

The reserve pit (shall not) be lined.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

CONFIDENTIAL

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

- To protect the environment.

 If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.
- X To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

____ Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

CONFIDENTIAL

8. Ancillary Facilities

Camp facilities or airstrips will not be allowed unless otherwise approved.

- 9. Well Site Layout -- provide a plat (not less than 1" = 50') showing:
 - a. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.
 - b. Location of mud tanks, reserve, and flare pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)
 - c. Rig orientation, parking ares, and access roads, etc.

	The reserve pit will be located on the : Northeast corner
	The flare pit will be located downwind of the prevailing wind direction on the <u>East side</u>
	a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.
	The stockpiled topsoil (first four inches) will be stored on the: Northeast corner
	Access to the well pad will be from the: Southwest Corner
_	Diversion ditch(es) shall be constructed on theside of the location (above / below) the cut slope, draining to the
-	Soil compacted earthen berm(s) shall be placed on theside(s) of the location between the
-	The drainage(s) shall be diverted around theside(s) of the well pad location.
-	The reserve pit and/or pad location shall be constructed long and narrow for topographic reasons
•	The corner of the well pad will be rounded off to

Fencing Requirements

- All pits will be fenced according to the following minimum standards:
 - a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

a. Producing Location

CONFIDENTIAL

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

Contact appropriate surface management agency for required seed mixture.

Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11. Surface Ownership:

CO	N	LI	n	F	N٦	M	Δ	ł
UU	11	1 1	U	L	1	ł	П	Ĺ

Access Road:	Bureau o	f Land	Management
Location: _			Management

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

12. Other Additional Information

a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible to mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- b. The operator will control noxious weeds along right-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- c. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

On BIA administered land:

CONFIDENTIAL

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb salable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights ar owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations

<u>X</u>	No construction or drilling activities shall be conducted between March 1 and August 1 because of eagle
	nesting area
	No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.
	No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.
	There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).
	No cottonwood trees will be removed or damaged. CONFIDENTIAL
<u>X</u>	A silt catchment dam and basin will be constructed according to BLM specifications approximately ft. Northwest of the location, and three on access road, where flagged.
13.	Lessee's or Operators Representative and Certification
	Representative
	Name:
	Address:
	Phone No:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.


A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty-eight (48) hours prior to construction activities.


The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

Certification:


I hereby certify that I, or persons inspected the proposed drillsite and act the conditions which currently exist; the true and correct to the best of associated with the operations propose CNG Producing Company	cess route; that I am familiar with hat the statements made in this plan my knowledge; and, that the work d here will be performed by
contractors and subcontractors in confo and conditions under which it is appro the provisions of 18 U.S.C. 1001 for the	ormity with this plan and the terms
October 14, 1991 Date	Doss R. Bourgeois Supervisor, Drlg. Eng. Name and Title
Onsite Date: October 8, 1991	
Participants on Joint Inspection	CONFIDENTIAL
Greg Darlington	National Res. Prot. Spec.
Frank Dudley	Range Conservationist
Darwin Kulland	Manager Production - CNG




CNG PRODUCING CO WELL LAYOUT PLAT **RBU 7-23E**




Located in the SW14 of the NE14 of Section 23, TIOS, RISE, S.L.B. . M.



STA. 3100






APPROXIMATE QUANTITIES

cur: 9700 yels (includes pil)


FILL: 2700 yds

2 Oct '91

19-128-205



121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (901) 738-5352



SELF-CERTIFICATION STATEMENT


Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

"Please be advised that <u>CNG Producing Company</u> is considered to be the operator of Well No. 7-23E SW 1/4 of NE 1/4 Section 23, Township 10, Range 19; Lease U-01376; <u>Uintah County</u>, <u>Utah</u>; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by <u>American Casualty Company of Reading</u>, PA, Bond #524 7050.


R. S. Gloger

Drilling Manager

BOP STACK



CHOKE MANIFOLD



STATE OF UTAH

said be free fre

NOTE: The tot

49-31

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of 1. Irrigation Domestic Stockwatering Municipal Power Mining Other Uses 2. The name of the applicant is MAPOD THE The Post Office address of the applicancis P.O. Rox 1360 Peopeweit. Whah 4. The quantity of water to be appropriated 015 The water is to be used for Oil Wall Prilling second-feer and/or acre-teer from James 1 to. December 1 ×(Major Eurpose) «(Monta) other use period. (Day) (Month) (Day) (Minor Purpose) OL and stored each year (if stored) from (Month) (Day) (Month) (Day) January 1 to December 6. The drainage area to which the direct source of supply belongs is... (Month) (Day) (Month) (Day) 7. The direct source of supply is* Underground water from Green River Formation (Name of stream or other source) which is tributary to. "Note,—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground Water" in the space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the remaining spaces, designate the stream channels to which it is tributary, even though the water sind, the direct source should be designated as a stream and not a anemy. first space and the remaining spaces should be space, giving its name, if named, and in the remain y tink, evaporate, or be diversed before rediversed, the direct source should be designated 8. The point of diversion from the source is in. Center SF of Mi Section 17 Tios R20 County, situated at a point* 1980' de bloi Alle ca DECK *Mots.—The point of diversion must be located definitely by course and distance or by giving the distance north or south, wast with reference to a United States land survey corner or United States transcrat monument, if within a distance of six miss of a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the 9. The diverting and carrying works will consist of A 7 5/8" well and 2500' deep If water is to be stored, give capacity of reservoir in acre-feet, area inundated in acres height of dam _5 legal subdivision of area inundated. *L*7 T105 11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows: 12. Is the land owned by the applicant? Yes No x If "No," explain on page 2. Acres Is this water to be used supplementally with other water rights? If "yes," identify other water rights on page 2. Yes 14. If application is for power purposes, describe type of plant, size and rated capacity. 15. If application is for mining, the water will be used in Mining District at _ mine, where the following ores are mined. If application is for stockwatering purposes, number and kind of stock watered 1000 17. If application is for domestic purposes, number of persons, 18. If application is for municipal purposes, name of municipality.... _____, or families _ 19. If application is for other uses, include general description of proposed uses Drilling Elverhend 19+ 105 R19+ 20E 20. Give place of use by legal subdivision of the United States Land Survey for all uses described in para-The use of water as set forth in this application will consume easo, 0/5 record feet and/or nerestream or source at a point described. 21. stream or source at a point described as follows:

Attachment No. 5

of I and Manager for the Federal	Government -
of Land Management and has their at	proval
the dis	
the BLM. w WATER FOR W:	
- For w:	1d /if
(170	
The quantity of water sour	if additional expianatory is needed.)
can be beneficially	ght to be appropriated is limited to that which used for the purpose herein described
	\sim \sim \sim \sim
	Standard of Applicant
by its proper officer, or in the name of the party	nization, signature must be the name of such corporation or organization ership by one of the partners, and the names of the other partners shall fildavit below need not be filled in. If there is more than one supplies
a power of attorney, authorizing one to act for	ership by one of the partners, and the names of the other partners shall fildavit below need not be filled in. If there is more than one applicant, all, should accompany the Application.
	and accompany the Application.
DECLA	RATION OF CITIZENSHIP
STATE OF UTAH.	or continuity
County of	
On the day of motary public for the State of litch	Lete 1980 paramativ appeared heles
or has declared his intention to become such a cit	1980. personally appeared before me. a applicant who, on oath, deciared that he is a citizen of the United States, tizen.
or a commission expires:	
aug 7,1982.	Charles and the
(SEAL)	Notary Public
	\$ 10 MINS
.)	

OPERATOR (16 Pinducing CO NOU05 DATE 10:01-91
WELL NAME RBD T-03E
SEC SWAF 013 T 109 R 19E COUNTY MINTAN
43-047-30105 reduct (1)
CHECK DEE: TYPE OF LEASE CONFIDENTIAL
PLAT. NEAREST WELL
LEASE FIELD POTASH OR OIL SHALE
PROCESSING COMMENTS: Included in Supplemental 91 POO approved 10-1-91.
elati Permit included in file
•
APPROVAL LETTER:
SPACING: R615-2-3 Rulu Bind R515-3-2
CAUSE NO. & DATE R615-3-3
STIPULATIONS:



Salt Lake City, Utah 84180-1203 801-538-5340

October 29, 1991

CNG Producing Company CNG Tower, 1450 Poydras Street New Orleans, Louisiana 70112-6000

Gentlemen:

Dianne R. Nielson, Ph.D.

Division Director

RBU 7-23E Well, 1943 feet from the north line, 1808 feet from the east line, SW 1/4 Re: NE 1/4, Section 23, Township 10 South, Range 19 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 615-2-3 and Utah Admin. R. 615-3-4, approval to drill the reference well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

- Compliance with the requirements of Utah Admin. R. 615-1 et seq., Oil and 1. Gas General Rules.
- Notification within 24 hours after drilling operations commence. 2.
- Submittal of Entity Action Form, Form 6, within five working days following 3. commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
- Submittal of the Report of Water Encountered During Drilling, Form 7. 4.
- Prompt notification prior to commencing operations, if necessary, to plug and 5. abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068
- Compliance with the requirements of Utah Admin. R.615-3-20, Gas Flaring or 6. Venting, if the well is completed for production.

Page 2 CNG Producing Company RBU 7-23E October 29, 1991

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32125.

Sincerely,

Associate Director, Oil and Gas

ldc

Enclosures

CC:

Bureau of Land Management

J.L. Thompson

WOI1

Form 3160-5

UMTED STATES DEPARTMEN OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED BUDGET BUREAU NO. 1004-0135

EXPIRES MARCH 31 1992

rice. ministri or, 1223
5. Lease Designation and Serial No.
U-01376

Do not use this form for proposale to delle	PORTS ON WELLS	U-01376
Do not use this form for proposals to drill or to	6. If Indian, Allottee or Tribe Name	
different reservoir. Use "APPLICATION FOR	The state of	
1. Type of Well		
• • · · · · · · · · · · · · · · · · · ·		7. If Unit or CA, Agreement Designation
[] Oil Well [X] Gas Well [] Other 2. Name of Operator		River Bend Unit
CNG PRODUCING COMPANY		8. Well Name and No.
3. Address and Telephone No.		7-23E
CNG Tower 1450 Days		9. API Well No.
CNG Tower - 1450 Poydras Street, New O	rleans, LA 70112-6000	43-047-32125
" " " " " " " " " " " " " " " " " " "	Or Current Day	10. Field and Pool, or Exploratory Are
Surface - 1,943' FNL and 1,808' FEL of S	ec. 23-T10S-R19E	Island
		11. County or Parish, State
OUTOU		
CHECK APPROPRIATE BOX(5) TO INDICATE NATURE OF N	Uintah, Utah OTICE, REPORT, OR OTHER DATA
	TYPE	OF ACTION
[] Notice of Intent	[] Abandonment	[] Change of Plans
	[] Recompletion	[] New Construction
[X] Subsequent Report	(C) Discours	
	10.0	[] Non-Routine Fracturing [] Water Shut-Off
[] Final Abandonment Notice	11.1 64	
	IVION	[] Conversion to Injection [] Dispose Water
		(Note: Report results of multiple
10.0		completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operation including estimated date of starting any propand measured and true vertical depths for a CNG Producing Company respectfully reque to reflect surface casing set at a depth of 35	Il markers and zones pertinent t	ly drilled, give subsurface locations o the work)*
If you have any questions or need any additional (504) 593-7260. APPROVEL OF UTAL		DEC 0 9 1991
4. V:	T patcheus	DIVISION OF
4. I hereby certify that the forgoing is true and	correct	OIL GAS & MINING
Signed Less Russer Title S Doss R. Bourgeois	Supervisor, Drilling Eng. Date	December 3, 1991
(This space for Federal or State office use)		
·		
Approved by Title Conditions of approval, if any:	Date	
		-
itle 18 U.S.C. Section 1001, makes it a crime fo gency of the United States any false, fictitious o	f any person knowingly	
gency of the United States any false, fictitious of the types of the United States any false, fictitious of the types of types of the types of the types of ty	r fraudulent state—	ully to make to any department or
кнін кэ јинэвівнен.	" "audulent statements or repre	esentations as to any matter

UNITE STATES DEPARTMENT OF HE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

ORM AF	PROVED		
BUDGET	BUREAU	NO.	1004-013

5 EXPIRES: MARCH 31, 1993

5. Lease Designation and Serial No. U-01376

Do not use this form to	OF DECEMBER 1 21	U-01376			
Do not use this form for	* proposals to drill				
- CONTRACTOR OS	E APPLICATION F	OR PERMIT - " for such proposa	ils Tribe Manie		
	SUE	BMIT IN TRIPLICATE			
1. Type of Well			7 If Unit or CA A		
[] Oil Well [X] Gas	Well []Other		7. If Unit or GA, Agreement Designation		
2. Name of Operator			River Bend Unit		
CNG PRODUCING	COMPANY		8. Well Name and No.		
3. Address and Teleph	one No.		7-23E		
CNG Tower - 1450	Poydras Street, Ne	ew Orleans, LA 70112-6000	9. API Well No.		
··	JUL ade Sec R	M or Comercia	43-047-32125		
Surface - 1,943' FI	NL and 1,808' FEL	of Sec. 23-T10S-R19E	10. Field and Pool, or Exploratory Area		
	,		Island		
			11. County or Parish, State		
CHECK	APPROPRIATE BOY	(S) TO INDICATE MATURE	Uintah, Utah		
TYPE OF	SUBMISSION	(3) TO INDICATE NATURE OF NO	Uintah, Utah OTICE, REPORT, OR OTHER DATA		
[] Notice	of Intent		PE OF ACTION		
• •		[] Abandonment	[] Change of Plans		
XI Subsi	equent Report	[] Recompletion	New Construction		
[] 0003	-doem vshou	[] Plugging Back	[] Non-Routine Fracturing		
[] Final /	l Abandonment Notice	[] Casing Repair	[] Water Shut-Off		
() : !!!		Altering Gasing	[] Conversion to Injection		
		[X] Other – Amend Drilling	[] Dispose Water		
		Permit	(Note: Report results of multiple		
			completion on Well Completion or		
10 0 7 0			Recomplation Reserved Living Or		
is. Describe Proposed	or Completed Oper	ations (Clearly state all pertinent	Recompletion Report and Log form.) details, and give pertinent dates.		
including estimated	date of starting any	proposed work. If well is direction	details, and give pertinent dates, nally drilled, give subsurface locations		
and measured and t	rue vertical depths f	proposed work. If well is direction or all markers and zones pertiner	st to the subsurface locations		
	•	= = = zones permer	it to the work.)*		
We will not be using					
THE PART HOLDE CINE	i bu annue totalize	r equipment on the above referen	iced well.		
contact oither man	sorus Olibed Sil	funher information, please feel fr	ee to K. L.		
(504) 593-7779.	in an fandi bada takh	Dovell Drujed engineer, David L	inger at		
(104) 123-7779.	OIL, GAS,	AND MINING			
r°		4-97	FEB 0 3 1502		
L	DATE:				
В	BY:	V balklus	DIVISION		
,	the state of the s	- A Company of the Co	OIL GAS & MINING		
7 11 1		<u>/</u>	20 No 10 16 20 18 18 18		
4. I hereby certify that	the forgoing is true	and correct			
Signed Susan N	Whyt Title	Regulatory Reports Asst. II Date	9 (2000)		
Susan M.	Hebert	Date	e January 29, 1992		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter

Date

(This space for Federal or State office use)

Conditions of approval, if any:

Title

Approved by



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Vernal District Office 170 South 500 East Vernal, Utah 84078



3160

FAX (801) 789-3634

3160 UT08438

Phone (801) 789-1362

CNG Producing Company

Attn: Susan Hebert

CNG Tower, 1450 Poydras Street New Orleans, LA 70112-6000

Re:

Application for Permit to Drill

Well No. 7-23E

Section 23, T10S, R19E Lease No. U-013766 43-047-32 / 25

Dear Ms. Hebert:

The referenced application was received on October 21, 1991. Since that date it has been determined the additional information required for technical adequacy and proposed surface mitigation is not complete.

In view of the foregoing, this office is returning, unapproved, the referenced application without prejudice. If you intend to drill at this location at a future date, a new Application for Permit to Drill must be submitted. Also all Sundries associated with this application are no longer valid.

If you have any questions concerning APD processing, please contact Margie Herrmann of this office at (801) 789-1362.

Sincerely.

Howard B. Cleavinger II

Assistant District Manager for Minerals

cc: Darwin Kulland

bcc:

Div. OG&M

central file reading file well file

DECENVEU MAY 1 1 1992

DIVISION OF OIL GAS & MINING



3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

May 14, 1992

Ms. Sue Hebert **CNG Producing Company** CNG Tower, 1450 Poydras Street New Orleans, Louisiana 70112-6000

Dear Ms. Hebert:

Dianne R. Nielson, Ph.D.

Division Director

Re: Well No. RBU 7-23E, Sec. 23, T. 10S, R. 19E, Uintah County, Utah API No. 43-047-32125

In concert with action taken by the U.S. Bureau of Land Management, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley Administrative Manager Oil and Gas

DME/ldc

R.J. Firth CC:

Bureau of Land Management - Vernal

Well file

WOI196



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 U-01470-A et al (UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. 1450 Poydras Street New Orleans, LA 70112-6000

Oil and Gas Leases

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

Isl Robert Lopez

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure
Exhibit of Leases

RECE

JUN 05 20 1

DIVISION OF OIL, GAS AND HENC cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS_Reference Data Br

MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801

Irene Anderson (UT-932) Teresa Thompson (UT-931) LaVerne Steah (UT-942) **Dominion Exploration & Production, Inc.** 1450 Poydras Street, New Orleans, LA 70112-6000 Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson Utah Board of Oil Gas & Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely.

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitan

Susan H. Sachitana

Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 2 g 2000

DIVISION OF OIL, GAS AND MINING

STATE OF UTAH

D	IVISION OF OIL, GAS & MINING	5. Lease Designat	tion and Serial Number:		
SUNDRY	/ NOTICES AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name:			
	to drill new wells, deepen existing wells or to reenter plugged and at N FOR PERMIT TO DRILL OR DEEPEN form for such proposals.	7. Unit Agreement Name:			
1. Type of Well:	OIL GAS OTHER:	8. Well Name and VARIOUS	Number:		
Name of Operator: DOMINION EXPLORATION & PI			9. API Well Numb		
Address and Telephone Number: 1460 Poydras Street, New Orlean			10. Field and Pool, or Wildcat: Natural Buttes 630		
Location of Well Footages: QQ, Sec, T., R., M.:			County: State:	UINTAH UTAH	
	HECK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE			
	E OF INTENT IT IN DUPLICATE)		SUBSEQUENT (Submit Original		
Abandon	New Construction	Abandon*		New Construction	
Repair Casing	Pull or Alter Casing	Repair Casing		Pull or Alter Casing	
Change of Plans	Recomplete	Change of Plans		Reperforate	
Convert to Injection	Reperforate	Convert to Injecti	on	Vent or Flare	
Fracture Treat or Acidize	Vent or Flare	Fracture Treat or	Acidize	Water Shut-Off	
Multiple Completion	Water Shut-Off	X Other	OPERATOR NAME CHANGE FOR WELLS		
Other		Date of work comple	etion		
Approximate date work will start			Completion and Recompletion of MPLETION REPORT AND LC		
vertical depths for all markers and zones pertinent Please be advised that effective A	April 12, 2000, CNG Producing Company has	es. If well is directionally drilled, give	minion Exploration &	Production, Inc.	
and would like to transfer the well approval with the State of Utah. To John R. Lewis	permits into the name of Dominion Exploration The bond number is 76\$ 63050 361.	on & Production, Inc. Ou	ur new bond has bee	n filed and is pending	
Sr. Vice-President - CNG Produci	ng Company		R	ECEIVED	
				JUN 2 9 2000	
			OIL,	DIVISION OF GAS AND MINING	
13.					
Name & Signature: John F	R. Lewis Title:	Sr. Vice-President - Don	ninion Expl. & Prod.,	Inc. Date: June 26, 2000	
(This space for State use only)		****			

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
AMY THORPE - USA 1	4303731283	DOMINION EXPLORATION & PR	LA	BLM
KENNETH TAYLOR - USA 1	4303731284	DOMINION EXPLORATION & PR	LA	BLM
TRUDI FED 2-17	4303731453	DOMINION EXPLORATION & PR	PA	BLM
MAJOR MARTIN FED 1	4303731479	DOMINION EXPLORATION & PR	PA	BLM
OSC#3)*	[•] 4304730104	DOMINION EXPLORATION & PR	PA	BLM
OSC #5-2)*	4304730129	DOMINION EXPLORATION & PR	PR	STATE
NATURAL #1-2 - RBU	4304730153	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-21E	4304730414	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-36B	4304730583	DOMINION EXPLORATION & PR	DA	STATE
FEDERAL #1-26A	4304730716	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #6-30B	4304730733	DOMINION EXPLORATION & PR	PA	BLM
BARTON FEDERAL #1-26	4304731179	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-2D	4304731190	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-2D	4304731353	DOMINION EXPLORATION & PR	PR	STATE
HILL CREEK FEDERAL #1-29 HC U		DOMINION EXPLORATION & PR	PR	BLM
RBU #10X-15E	4304731551	DOMINION EXPLORATION & PR	PA	BLM
HILL CREEK STATE #1-32	4304731560	DOMINION EXPLORATION & PR	UNK	STATE
* HILL CREEK FEDERAL #1-27	4304731675	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-31B	4304731765	DOMINION EXPLORATION & PR	LA :	BLM
STATE #4-36E	4304731777	DOMINION EXPLORATION & PR	PR .	STATE
SADDLE TREE DRAW 4-31	4304731780	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 16-31	4304731781	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 13-34	4304731782	DOMINION EXPLORATION & PR	LA	BLM
STATE #12-36E	4304731784	DOMINION EXPLORATION & PR	LA	STATE
RBU #3-10D	4304731832	DOMINION EXPLORATION & PR	PA	BLM
RBU #16-19C	4304731841	DOMINION EXPLORATION & PR	DA	BLM
EVANS FEDERAL #3-25	4304731878	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #41-26 STATE #11-36E	4304731879	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-13E	4304732019"	DOMINION EXPLORATION & PR	PR	STATE
RBU #7-18F	4304732051 4304732104	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-15F		DOMINION EXPLORATION & PR	LA	BLM
RBU #7-15F	4304732109 4304732111	DOMINION EXPLORATION & PR	LA	BIA
RBU #7-131	4304732111	DOMINION EXPLORATION & PR	LA	(BIA)
RBU #6-19F	4304732126	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-17F	4304732127	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-10E	4304732139	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	LA LA	BLM
RBU #3-15F	4304732140	DOMINION EXPLORATION & PR	LA	BLM BLM
RBU #3-3E	4304732152	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-24E	4304732154	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-17F	4304732165	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13E	4304732167	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-19FX	4304732216	DOMINION EXPLORATION & PR	LA	BLM
STATE 2-32B	4304732221	DOMINION EXPLORATION & PR	PR i	STATE
STATE #5-36B	4304732224	DOMINION EXPLORATION & PR	PR	STATE
FEDERAL #13-26B	4304732237	DOMINION EXPLORATION & PR	PR	BLM
STATE #9-36B	4304732249	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-21F	4304732262	DOMINION EXPLORATION & PR	LA	BLM
RBU #4-15F	4304732269	DOMINION EXPLORATION & PR	PA	(BIA)
RBU #1-3E	4304732272	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-9E	4304732273	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-10E	4304732291	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-23E	4304732294	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-19F2	4304732311	DOMINION EXPLORATION & PR	LA	BLM
RBU #12-2F	4304732316	DOMINION EXPLORATION & PR	LA	SIAIL
RBU #7-20E	4304732332	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-34B	4304732334	DOMINION EXPLORATION & PR	PA	BLM
RBU #9-20E	4304732335	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-19F	4304732360	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-23F	4304732361	DOMINION EXPLORATION & PR	LA	BLM
EVANS FEDERAL #12-25A EVANS FEDERAL #32-26	4304732394	DOMINION EXPLORATION & PR	PR	BLM
STATE #2-36D	4304732395 4304732404	DOMINION EXPLORATION & PR	PR	BLM
STATE #9-36E	4304732404	DOMINION EXPLORATION & PR	LA	STATE
TAIL #5-00L	70041 32403	DOMINION EXPLORATION & PR	RECEIV	
			UCC!	ノロリ


Date:


Ameunt Pald:

Receipt Number: 22156

04/25/2000

\$60.00





\$35.00
\$35.00
\$25.00
\$35.00

Application To Amend The CERTIFICATE OF AUTHORITY OR REGISTRATION of

Division of Corporations & Commercial Code

		CNG Producing Company Business Entity Name
		Business Chilly Mame
		Delaware Name of Home State
I.	AMENDING THE BUSINESS N	AME
	The business name is changed to:	
	The corporation shall use as its nam	e in Utah: Dominion Exploration & Production, Inc.
		(The decorated man shall man tre many in any look an at the last
	amendment must accompany this application.	he home state, a copy of the Certificate of Amendment or a certified copy of the
Check to	he following: 94 The name of the corporation is changing it's 1 The name of the corporation is being chang	s name in Utah to the new name of the corporation in the home state. ted in Utah to comply with Utah State Insurance Regulations.
II.	AMENDING THE DURATION (OF THE BUSINESS EXISTENCE
h,	The businesses period of duration is	changed to:
و المراجع		•
III.	AMENDING THE STATE OR CO	OUNTRY OF INCORPORATION/REGISTRATION
	The corporation's state or country of	f incorporation/registration is changed to:
ē		
ĬV.	Other:	
	(Limited Parnership changing General Par	Aners, Limited Companies changing Members or Managers. Change of statement who is managing, etc.) Use an attached sheet if needed,
		One mit atmender in transfer
Under	penalties of perjury, I declare this Ap	plication to Amend the Certificate of Authority or Registration to be,
to the b	est of my knowledge and belief, true	and correct
	VV2-10) Hr.	
	Signature	Vice President & Corporate Secretary April 20 2000 Title
	• • • • • • • • • • • • • • • • • • • •	Title Department of Commerce Division of Corporations and Commercial Code
		Hereby partition that the same to the same
		MAG Spproved on this 20 7day of Mac/ 20 7D
]	0m - mn 0n	
I	STATE OF UTAH DIVISION OF CORPORATIONS	this Certificate thereof.
	AND COMMERCIAL CODE	Examiner Date Date
1	160 East 300 South / Box 146705	
1	Salt Lake City, UT 84114-6705	
	Service Center: (801) 530-4849	COJENSON

Web Site: http://www.commerce.state.ut.us

APR 25 2000

common\forms\Misc\amendcen Revised 01-14-00 mm UTU22 - 2/19/00 C T System Online

Ush Dix Of Corp. & Comm. Code

Check each listed item when completed. Write N/A if item is not applicable.

Change of	Operator ((Well	Sold)

OPERATOR CHANGE WORKSHEET

Designation of Agent

X Operator Name Change Only

Merger

ROUTING: 4-KAS L 2-CDW 3-JLT 6-FILE

The or	perator o	of the x	vell(s)	listed	helow	has d	changed	effective:	4-12-00	
TILC O	perator c	11 UIC 1	word 2)	noucu	DOTOW	mas v	onangcu,	CHECHYE.	4-12-00	

TO:(New Operator) <u>DOMINION EXPL & PROD INC.</u> Address:

1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000 Account No. N1095 FROM: (Old Operator) <u>CNG PRODUCING COMPANY</u>

Address: 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000 Account No. N0605

WELL(S):	CA Nos.	C	r RIVER BEN	D	Unit
Name: NATURAL 1-2	API:_	43-047-30153	Entity: 11377	S 02 T 10S R 20	E Lease: ML-10716
Name: <u>RBU 11-21E</u>	API:_	43-047-30414	Entity: 9010	S 21 T 10S R 191	E Lease: U-013766
Name: <u>RBU 11-31B</u>	API:_	43-047-31765	Entity: 9010	S 21 T 10S R 191	E Lease: U-013766
Name: <u>RBU 3-10D</u>	API:	43-047-31832	Entity: <u>4955</u>	S 10 T 10S R 183	E Lease: U-013818-A
Name: <u>RBU 16-19C</u>	API:	43-047-31841	Entity: <u>4955</u>	S 10 T 10S R 18	E Lease: U-013818-A
Name: <u>RBU 7-13E</u>	API:_	43-047-32051	Entity: 7050	S 13 T 10S R 19	E Lease: U-013765
Name: <u>RBU 7-18F</u>	API:	43-047-32104	Entity: <u>99998</u>	S 18 T 10S R 20	
Name: <u>RBU 7-23E</u>	API:_	43-047-32125	Entity: <u>99998</u>	S 23 T 10S R 19	E Lease: U-01376
Name: <u>RBU 6-19F</u>	API:_	43-047-32126	Entity: <u>99998</u>	S 19 T 10S R 20	E Lease: <u>U-013769A</u>
Name: <u>RBU 3-17F</u>	API:_	43-047-32127	Entity: <u>7050</u>	S 17 T 10S R 20	E Lease: <u>U-013769</u> C
Name: <u>RBU 15-10E</u>	API:_	43-047-32139	Entity: <u>99998</u>	S <u>10</u> _T <u>10S</u> _R <u>19</u>	E Lease: <u>U-013792</u>
Name: <u>RBU 3-15F</u>	API:_	43-047-32140	Entity: <u>99998</u>	S 15 T 10S R 20	E Lease: <u>U-7206</u>
Name: RBU 3-3E	API:	43-047-32152	Entity: <u>99998</u>	S 03 T 10S R 19	E Lease: U-013765
Name: <u>RBU 5-24E</u>	API:_	43-047-32154	Entity: <u>7050</u>	S <u>24</u> T <u>10S</u> R <u>19</u>	E Lease: U-013794
Name: <u>RBU 5-17F</u>	API:_	43-047-32165	Entity: <u>99998</u>	S 17 T 10S R 20	E Lease: <u>U-013769C</u>
Name: <u>RBU 15-13E</u>	API:_	43-047-32167	Entity: 7050	S 13 T 10S R 19	E Lease: U-013765

6×11.92

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00. <u>YES</u> 2.
- <u>YES</u> 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00
- <u>YES</u> 4. The new company has been looked up in the Department of Commerce, Division of Corporations Database if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? Yes/No If yes, the company file number is **SEE ATTACHED** . If no, Division letter was mailed to the new operator on

<u>YES</u> 5.	Federal and Indian Lease Wells. The BLM or the BIA has approved the merger, name change or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
<u>N/A</u> 6.	Federal and Indian Units. The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on
<u>N/A</u> 7.	Federal and Indian Communitization Agreements ("CA"). The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on
<u>N/A</u> 8.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
<u>YES</u> 9.	Changes have been entered in the Oil and Gas Information System for each well listed on 7-25-00.
<u>YES</u> 10.	Changes have been included on the Monthly Operator Change letter on
STATE BO	ND VERIFICATION
<u>N/A</u> 1.	State Well(s) covered by Bond No
FEE WELL	S - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION
<u>N/A</u> 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.
<u>N/A</u> 2.	A copy of this form has been placed in the new and former operator's bond files on
<u>N/A</u> 3.	The FORMER operator has requested a release of liability from their bond as of todays date? If yes, Division response was made to this request by letter dated (see bond file).
<u>N/A</u> 4.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated, of their responsibility to notify all interest owners of this change.
<u>N/A</u> 5.	Bond information added to RBDMS on
<u>N/A</u> 6.	Fee wells attached to bond in RBDMS on
FILMING	
1.	All attachments to this form have been microfilmed on $2-23-0$.
FILING	
1.	Originals/Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form has been filed in the operator file and a copy in the old operator file.
COMMEN	